Architectural Interior Solutions



Interior Products

Architectural Interior Solutions
from Quality Nordic Wood

COMBIWOOD GROUP



Real wood
Real atmosphere

For interiors where material matters



PRODUCT: NORDIC PANEL 15X215X3570 DRIFTWOOD I PROJECT: VINTERRO BY VESLEFRIKK EIENDOM

Interior Collection

This brochure showcases a selection of architectural interior wood products manufactured by Vindor OÜ — part of Combiwood Group.

Each product is made from carefully selected, locally sourced pine - slow-grown, stable and full of character. Our focus lies in durable materials, thoughtful design and timeless Nordic simplicity.

It's not just about wood. It's about what wood makes possible.

Better spaces.
Smarter choices.

Contents

About the Group 5
Environment & Certificates 6
Door Frames 8
Scandinavian Frames 10
Western European Frames 11
Other Frames 11
Frame Extensions 12
Wall and Ceiling Panels 14
Nordic Panel 16
Pure Panel 17
MDF Panel 18
Hobby Panel 20
Custom Wood Components 24



From the forest to finished product

Everything happens within one group, from raw timber to interior solutions

At Combiwood Group, we bring together a network of woodworking companies under one roof. From responsible wood sourcing and sawmilling to component manufacturing and interior solutions, we ensure quality, traceability and efficiency throughout the entire process.

Vertically integrated

Our operations span the full wood value chain. By working as a unified system and sharing expertise across companies, we achieve results that meet the demands of clients across the globe.

Built on trust and flexibility

We believe in lasting partnerships and a flexible way of working, allowing us to deliver tailored, high-quality results that bring ideas to life.

10 factories
based in Estonia

20+ years
of experience in the field







We know where our wood comes from

All the raw material we use, is sourced and processed within our own group. This allows us to ensure traceability, quality and sustainability across every step of the manufacturing process.

Our timber is FSC® and PEFC certified, meaning it originates from responsibly managed forests that meet strict environmental, social and economic standards. We primarily work with local pine, minimize production waste and maintain durability standards.



90% of the wood we use in our production is **locally sourced pine**

Certifications / Trusted labels

Forest Stewardship Council®

The FSC® certification confirms that our wood comes from responsibly managed forests. It ensures environmental protection, social responsibility and sustainable economic practices throughout the supply chain.

Nordic Swan Ecolabel

The Nordic Swan is the official ecolabel of the Nordic countries. It verifies that our products meet strict environmental and health standards across their entire life cycle-from raw material to finished product.

Programme for the Endorsement of Forest Certification

PEFC certification guarantees that wood is sourced from sustainably managed forests. It supports small forest owners and promotes transparent, responsible forest management.

SP Certificate

The SP Certificate, issued by RISE (Research Institutes of Sweden), confirms that our products meet high Nordic standards for performance, safety and durability. It reflects compliance with rigorous testing and quality assurance procedures, particularly in construction and building materials.

Environmental Product Declaration

The EPD certificate confirms that our products have undergone a verified life cycle assessment. It provides transparent data on environmental impact, helping clients make responsible and sustainable choices.



Zero Waste

As a group, we are committed to using every part of the log. Our production is designed for maximum efficiency and minimum waste: the bark is used for mulch and to heat our facilities, while the sawing process produces both quality timber and by-products like chips and sawdust, which go to the paper and pellet industries. Every part of the log becomes a product - nothing is left unused.



PRODUCT: **ARCHITRAVE**
BLACK NCS 8500N

PRODUCT: DOOR FRAME,
NORWAY I BLACK NCS 8500N

Door Frames

Made from Nordic Wood

Please see regional options for further details on availability

Wooden door frames for retail and industrial use. Supplied in standard profiles and a variety of finishes — natural, primed, or painted in custom colours. Delivered semi-ready or ready to install for easy assembly.



MATERIALS

Pine
Knot-Free, Fresh Knotted or Solid

PROFILES



Region Based
Standard or Custom

FINISHINGS





NCS & RAL Colours Available

ACCESSORIES



Hinges
Snap-in



Thresholds
Wood Varieties



Seals
Region Based



Architraves
and Extensions

PACKAGING



Shrink Wrap
or Carton



Branding
Labels/Stickers

Door Frames

Scandinavia, Europe



Norway
/ Door Frame

STANDARD





Sweden
/ Door Frame

STANDARD





Finland
/ Door Frame

STANDARD





Denmark
/ Door Frame

STANDARD



SPECIFICATIONS

MATERIALS

Pine,
Finger-Jointed / Laminated

QUALITY GRADES

Fresh Knotted,
Knot-Free + Sealing Strip

DIMENSIONS

Region & Module Based
Project-Based Customisation

FINISHING OPTIONS

CNC manufactured
Fittings included
Natural, primed or painted
(NCS / RAL)

PACKAGING OPTIONS

Set in Shrink Wrap
or Carton Box

ACCESSORIES

Hinges
Seals
Thresholds
Architraves
Frame Extensions

CERTIFICATIONS

FSC, PEFC, EPD

Door Frames

Western and Central Europe

SPECIFICATIONS

MATERIALS
Pine or Spruce,
Finger-Jointed / Laminated

QUALITY GRADES
Fresh Knotted,
Knot-Free + Sealing Strip

DIMENSIONS
Region & Module Based
Project-Based Customisation

FINISHING OPTIONS
CNC manufactured
Fittings included
Natural, primed or painted
(NCS / RAL)
**excluding regions: UK, France*

PACKAGING OPTIONS
Set in Shrink Wrap
or Carton Box
**UK Shrink Wrap only*

ACCESSORIES
Architraves
Frame Extensions

CERTIFICATIONS
FSC, PEFC, EPD



France
/ Door Frame

STANDARD





Netherlands
/ Door Frame

STANDARD





UK
/ Door Frame

STANDARD





Custom
/ Door Frame

TAILORED

Profiles made to your specification

Contact sales for details



PRODUCT: DOOR FRAME EXTENSION, WHITE

STANDARD SIZES	18 x 45 mm	18 x 220 mm
	18 x 70 mm	18 x 250 mm
	18 x 95 mm	18 x 300 mm
	18 x 120 mm	18 x 350 mm
	18 x 145 mm	18 x 400 mm
	18 x 175 mm	18 x 500 mm
	18 x 195 mm	18 x 600 mm

Frame Extensions

for door and window applications

Our frame extensions are made from knot-free pine, ensuring a strong and reliable finish for any interior. Frame extensions are perfect for both door and window applications.

MDF option is also available for areas requiring enhanced moisture resistance. All extensions come in various dimensions and finishes.



1. Pick the material

MATERIAL



Knot-Free
Pine (FJ/EG)



MDF
Moisture Resistant

2. Choose the finishing

FINISHING



Natural



Primed
4 sides



Painted
3 sides



NSC & RAL COLORING OPTIONS AVAILABLE

3. Customise the packaging

PACKAGING



Shrink Wrap



Branding
Labels/Stickers



PRODUCT: NORDIC PANEL
15X215X3570 DRIFTWOOD

Wall and Ceiling Panels

Bring Your Spaces to Life

Combiwood's collection of wooden wall and ceiling panels highlights the natural beauty and versatility of Nordic wood.

Designed to bring warmth and character to interiors, the panels are available in multiple grades, profiles and finishes, suitable for residential and commercial applications.

NORDIC COLLECTION IN DRIFTWOOD / LASER WHITE SHADES



MATERIALS

- Knotty Pine
- Knot-Free Pine
- MDF (MR)

FINISHINGS

- Unfinished
- Stained
- Waxed
- Primed
- Painted

NCS, RAL
Colours Available

PACKAGING

- Shrink Wrap
- Branding
  Labels/Stickers

Nordic Panel / stained

NORDIC PANEL



Our newest **NORDIC** collection adds warmth and character to any interior space. With its clean lines and natural surface, it suits both modern and traditional interiors.

The panels are made from solid pine and treated with a range of subtle stains that highlight the wood's natural beauty. Easy to install. A stylish solution for walls, ceilings and other indoor surfaces.

MATERIALS
Solid, Edge-glued
(D3) Pine

STANDARD
15 x 215 x 2670 mm
15 x 215 x 4470 mm

Effective covering
width 197mm

FINISHES
Treated with stain
*Custom staining available

DIMENSIONS



* Effective covering 197mm

LASER WHITE **STONE GRAY** **CHARCOAL BLACK** **DRIFTWOOD**













Ready-to-install

100% Natural Wood

PURE PANEL



Pure Panel / natural, primed or painted

PURE is a collection of clean, ready-to-install wall panels available in three profiles: **Skygge**, **Sprekk** and **Faspanel**. With a choice of smooth surfaces, shadow lines or V-grooves, bringing a timeless and refined look to the space.

Panels are available natural, primed or fully painted. In addition to our standard profiles, the entire solution can be tailored to project-specific needs.

MATERIALS

Knot-Free Finger-Jointed Pinewood

STANDARD

13x120x4850 mm

Effective covering width 102 mm

FINISHES

Natural, Primed or Painted

*Custom colours available

DIMENSIONS



SKYGGE



SPREKK



FASPANEL







MDF Panel / primed or painted

This MDF panel offers a practical and stylish solution for moisture-prone interior applications.

Made from high-density MDF (Medium Density Fibreboard) with specialised resins to minimise moisture absorption. Ideal for bathrooms, kitchens, utility rooms and commercial interiors.

MR MDF PANEL



MATERIALS

Moisture Resistant MDF

STANDARD

10x145x2415 mm
10x145x4200 mm

Effective covering width xx mm

FINISHES

Primed or Painted
NCS S0502Y

DIMENSIONS







PRODUCT: STAINED PANEL
13X120X4850 CUSTOM









Hobby Panel

for custom furniture and DIY projects

Hobby panels are made from knot-free, edge-glued pine and factory-finished for easy, versatile use in interior projects.

Primed on four sides and painted on three, these ready-to-use panels are available in multiple widths and two standard colours — classic white (NCS S0502Y) and deep grey (NCS S8500N).

DIMENSIONS



STANDARD SIZES

18 x 200 x 2400 mm
18 x 250 x 2400 mm
18 x 300 x 2400 mm
18 x 400 x 2400 mm
18 x 500 x 2400 mm
18 x 600 x 2400 mm

DEEP GREY (NSC S8500N)



CLASSIC WHITE (NSC S0502Y)



1. Pick the material

MATERIAL



Knot-Free
Pine (EG)

2. Choose the finishing

FINISHING



Natural



Primed
4 sides



Painted
3 sides



NSC & RAL COLORING OPTIONS AVAILABLE

3. Customise the packaging

PACKAGING



Shrink Wrap
1pc in



Branding
Labels/Stickers


PRODUCT: NORDIC PANEL
15X215X3570 DRIFTWOOD



New project in mind?

No worries, we got you! Contact: sales@vindor.ee







Custom Wood Componetns

profiled and primed solutions for industrial production

Our profiled and primed components are designed for manufacturers and professional builders seeking high-quality materials.

Components are delivered pre-machined and finished to reduce processing time and ensure consistency throughout the supply chain.

Available in solid and finger-jointed softwood, as well as moisture-resistant or standard MDF, these components are suited for further finishing or direct installation — depending on project needs.



Components / profiled or primed

Custom wood components are available in multiple readiness levels, including raw profiled, CNC processed, primed, or fully finished, ensuring smooth integration into any production workflow.

Every aspect of the product can be customised to suit specific manufacturing or architectural requirements. This includes material, profile, dimensions, coating system and the desired level of readiness.

MATERIALS
Finger-Jointed Edge-Glued Pine

READINESS LEVELS
Profiled only
CNC Ready
CNC Ready + Primed
CNC Ready + Primed + Painted

FINISHING OPTIONS
Primed
Painted
Optional treatments
(available on request)

PROFILED



CNC READY



CNC READY+ PRIMED



CNC READY + PRIMED+ PAINTED



Staircase details / profiled or primed

High quality staircase components tailored for both large-scale production and bespoke architectural projects. All elements are engineered for strength, dimensional accuracy and ease of integration into existing systems.

Available in a range of sizes and profiles, components can be delivered unfinished, primed or fully coated — depending on customer's needs.

MATERIALS
Finger-Jointed Edge-Glued Pine

COMPONENT TYPES
Treads
Risers
Stringers
Edge trims & nosings

FINISHING OPTIONS
Supplied natural, primed or painted

NSC & RAL COLORING OPTIONS AVAILABLE

Customise your product

1. START WITH THE MATERIALS

MATERIAL

Solid softwood
pine or spruce

Finger-jointed softwood
pine or spruce

MDF
standard or moisture resistant

2. SELECT THE PROFILE

PROFILE

Existing profiles
or samples

Complex shapes
available upon request

3. DEFINE DIMENSIONS

DIMENSIONS

Width, thickness and length
according to specifications

Adjustments
for specific production

4. CHOOSE READINESS

READINESS

Raw profiled

CNC ready

CNC ready + primed

CNC ready + primed + painted

5. SPECIFY CNC DETAILING

CNC DETAILING

Slotting

Tenons

Holes

Other detailing

6. DEFINE EDGE TREATMENT

EDGE TREATMENT

Sharp, rounded or bevelled

Chamfers, radiuses, grooves etc.

7. CHOOSE SURFACE SANDING

SANDING

Fine sanding
before or after priming

Pre-finished for immediate installation

8. PRIMING OR PAINTING (OPTIONAL)

FINISHING

Priming: Acid-catalysed primer or water-based primer

Painting: RAL or NCS colours

9. FINALISE WITH PACKAGING

PACKAGING

Custom barcodes

Bundle labelling
Project-specific

Shrink-wrapping or palletised delivery



Sales Contact

Email: sales@vindor.ee
Phone: +372 5364 8060

VINDOR OÜ

Koogimäe tee 7, 79005,
Kehtna vald, Raplama, Estonia

ABOUT THE FACTORY

COMBIWOOD GROUP

A LEADING WOODWORKING NETWORK